







HIT THE ROAD TO ADVENTURE WITH APEX'S ULTRALITE TOWABLE RVS










APEX STAR-GAZER




The all new Star-Gazer allows you to bring in more natural light and greater air flow. For those wanting to keep out insects or sleep in on the weekends, the Star-Gazer will also feature a screen and blackout shade that are very user friendly. (Optional on Nano floorplans. N/A 185 BH)













17 TH


NEW FLOORPLAN!



LIGHTWEIGHT. **EASY TO TOW.**

These smaller, easy to tow models deliver many of the amenities of a larger travel trailer.








Apex Nano 17 TH 185 BH 186 BH 187 RB 191 RBS 194 BHS 201 RBS 203 RBK 208 BHS 213 RDS 478 400 472 462 482 492 550 478 526 540 Hitch Weight Carrying Capacity 1.120 1.234 1.074 1.342 1.114 910 1.952 2.084 1.712 1.806 UVW 3.542 3.466 3.626 3.358 3.586 3.890 4.048 3.916 4.288 4.194 GVWR 4700 4.700 4,700 4.700 4,700 4,800 6,000 6,000 6,000 6,000 Ext. Length (Incl. Bumper to Hitch) 22, 5, 20'7" 22' 11.5" 21'5" 21'11" 22, 8, 24' 11" 23'5" 24' 11" 25' 2" Ext. Height (Incl. A/C) Int. Height (Coach) 9'10" 9'10" 9'9" 9'10" 9'10" 9'10" 9'11" 9'11" 9'11" 9'11" 77" 77" 77" 77" 77" 77" 77" 77" 77" Awning Length 14' 12' 15' 12' 12' 14' 16' 15' 14' 15' Fresh Water Capacity (qal.) 37 52 52 52 52 52 52 52 52 52 Grey Water Capacity (gal.) 27 27 27 27 27 27 35 35 35 35 27 Waste Water Capacity (qal.) 27 27 27 27 27 35 35 35

P


NANO TRAVEL TRAILERS




17 TH **NEW FLOORPLAN!**



185 BH



187 RB





CAMP KITCHEN

208 BHS

186 BH



201 RBS



213 RDS

Mandatory option. Nano models only.

Dual LP Tanks with Cover

[2] 20 lb. Tanks with Cover for Longer Camping Time



12 Volt Outlets & USB Charger

Pass-thru, Outside Kitchen and Bedside



High Volume **Power Roof Vent**

- · 3-Speeds
- · Ouiet Operation
- 9.3 CFM Air Circulation



200 Watt Solar Panel with 30 AMP **Control Charger to** Battery

- · High Efficiency Solar Cells
- · 30 AMP Solar Charge Controller





15" All-Terrain Tires Optional on Nano only.

Refer to chart descriptions on back cover.

NANO STANDARD FFATURES AND OPTIONS

NANO PACKAGE (MANDATORY)

- Vacuum-bonded Laminated Azdel Fiberglass Side Walls
- Vacuum-bonded Laminated Azdel Fiberglass Rear Wall
- √ Vacuum-bonded Laminated
 Crowned Roof
- Fiberglass Front Cap w/LED Lighting and Window [N/A Remote]
- Aluma-cage Construction
- Two-Tone White and Grey Fiberglass Exterior Sidewalls
- Enclosed Underbelly w/Forced Air Heat (Double axle models) (N/A Remote)
- Spare Tire
- Outside Speakers
- Stabilizer Jacks (4)
- LP Port
- DSI Gas/Electric Water Heater

- Hot/Cold Outside Shower
- Black Tank Flush
- Swing Away Assist Handle
- Friction Hinge Entrance Door
- Solid Step
- Magnetic Baggage Door Catches
- Hard Valances w/Night Shades Throughout
- LED Interior Lighting Throughout
- Microwave
- ¬ Flush-mount 2-Burner Cooktop
- ∢8 Cu. Ft. 12 V. Refrigerator
- ¬ Stainless Steel Single Bowl Sink w/ Flush-mount Cover
- Access Doors Under Dinette
- AM/FM Stereo w/Bluetooth
- Digital TV Antenna w/Cable Hook-ups and WiFi Capability
- Tub Surround
- ¬ Skylight in Bath
- ${\ensuremath{}^{\triangleleft}}$ Mattress with Cover

INTERIOR AND DÉCOR

- Prestige Poplar Cabinetry
- Shaker Cabinet Door Frames
- Stile and Rail Cabinet Front Construction
- One-Piece Seamless Edge Countertops
 Congoleum DiamondFlor
- Flooring ∢ Overhead Bedroom Cabinets w/Side Wardrobes
- Collapsible Bin
- Hard Valances w/Night Shades
 Throughout
- ¬ Pedestal Dinette Table
- Foldable Table (17 TH only)
- Large Oversized Booth Dinette
- Fire Extinguisher
- Smoke Alarm
- Carbon Monoxide Detector

ELECTRICAL/HEATING/AC

- □ Direct Vent Furnace
- 13.5K BTU A/C
- Outside Receptacle GFI
- Detachable Marine Style Power Cord
- USB Chargers

GALLEY

- 8 Cu. Ft. 12 V. Refrigerator
- √ Microwave
- Stainless Steel Single Bowl Sink w/Flush-mount Cover
- One-Piece Seamless Edge Countertops

BATH AND WATER

6 Gal. Gas/Electric DSI Hot Water Heater

- Power Bath Vent
- √ Water Heater Bypass Valve
- On-demand Water Pump
- Below Floor Low Point Drains
- √ Foot Flush Toilet
- ¬ Tub Surround
- Hand-crafted Wood Medicine Cabinet
- Bathroom Organizer

EXTERIOR/CONSTRUCTION

- ¬ Aluma-Cage Construction
- Vacuum-bonded, Aluminum
 Trussed Roof w/Dicor Crossflex Roof
 Membrane
- √ Vacuum-bonded Azdel

 Till Andrew

 Till A
- Fiberglass Sidewalls (R-11)
- Vacuum-bonded Azdel
- Fiberglass Rear Wall
- Laminated Aluminum Framed Floor (R-11)
- Corrosion Resistant Powder
 Coated Frame

- I-beam Chassis Construction (Double Axle Models)
- Box Tube Chassis Construction
 [Single Axle Models]
- Heated and Enclosed Underbelly w/ Forced Air (Double Axle Only)
- Gutter Rail
- ∢ (2) 20 Lb. LP Tanks
- Dual Battery Tray
- Solid Step
- Tinted Safety Glass Radius Windows
- Radius Entrance Door w/Window and Friction Hinge
- Deadbolt Lock
- Radius Thumb Latch Baggage Doors
- ¬ Break Away Switch
- Dexter® E-Z Lube® Axles
- Radial Tires

COMFORT PACKAGE (MANDATORY)

□ Direct Vent Furnace

- Power Awning w/LED Lighting
- 4 13.5k BTU A/C
- Spare Tire and Carrier

OFF-GRID PACKAGE(MANDATORY)

- (2) 20 Lb. LP Tanks w/Cover
- High Velocity 10" Power Roof Vent
- 200 Watt Solar Panel w/30 Amp Dual Control Charger to Battery
- 12V Outlet & USB Charger (Passthru, Outside Kitchen, and Bedside)

OPTIONS

- Murphy Bed (186 BH, 201 RBS, 203 RBK, 208 BHS Only)
- √ 12V Tank Heater Pads
- √ 15K BTU A/C Upgrade
- √ 15" All-Terrain Tires
- Aluminum Rims
- Star-Gazer


Remote comes fully loaded with the Wilderness Package (Shown)

DESIGNED TO LEAVE THE WORLD BEHIND.

Adventure awaits in this 7' wide, easy to tow trailer with big amenities. This mighty little camper boasts the same solid construction as other Apex models, and includes a full bath with shower and toilet, a 8 cu. ft. 12v refrigerator and a 54" x 80" bed.

REMOTE WILDERNESS PACKAGE (MANDATORY)

- √15" All-Terrain Tires
- ◆ Aluminum Rims
- ◆ Front Bike Rack
- ▼Tov Lock
- ∢(2) 20 Lb. LP Tanks w/Cover
- 200 Watt Solar Panel w/30 AMP Control Charger
- **◄ 13.5 BTU A/C**
- 12V Heat Pads for Black, Grey and Fresh Water Tanks



10	
10	п

Apex Remote	16 R
Hitch Weight	330
Carrying Capacity	940
UVW	2,860
GVWR	3,800
Ext. Length (Incl. Bumper to Hitch)	19' 7"
Ext. Height (Incl. A/C)	9'10"
Int. Height (Coach)	77"
Awning Length	12'
Fresh Water Capacity (gal.)	52
Grey Water Capacity (gal.)	35
Waste Water Capacity [gal.]	35

Refer to chart descriptions on back cover.



An Apex Travel Trailer does not just start off as a frame, walls and roof... it begins with an idea! Our belief is that getting the little things right is a BIG THING! The Apex UltraLite is not like other lightweight trailers. It is much smarter because we set new, higher standards for this innovative, truly lightweight trailer.









OUR MODERN INTERIORS ARE BEAUTIFULLY PAIRED WITH INNOVATIVE USE OF SPACE TO MAKE CAMPING COMFORTABLE AND EASY.

Super Bed Storage in the 243 FKS keeps gear and extras organized for easy access, creating a walk-in storage area. (On select models) Collapsible storage bins are available on all Apex.



The 243 FKS is perfect for couples who like to kick back and relax with all the amenities of home. It's open concept living at its finest, with comfortable seating located directly across from the TV for a great view, and a booth dinette for those game nights. The 243 FKS is standard equipped with a Hide-A-Bed sofa with optional theater seats.

This spacious 290BHS has it all from a large U-shaped dinette, which is great for game night or comfortable dining to the entertainment center with fireplace directly across from the Hide-A-Bed sofa (theatre seating optional) and the double over double bunks. This is a true family coach!





ULTRALITE STANDARD FEATURES AND OPTIONS

VALUE PACKAGE (MANDATORY)

- Vacuum-bonded Laminated Azdel Fiberglass Side Walls
- Vacuum-bonded Laminated Azdel Fiberglass Rear Wall
- Vacuum-bonded
- Laminated Crowned Roof
- Laminated Aluminum Framed
- Fiberglass Front Cap w/LED Lighting and Window
- Aluma-cage Construction
- Two-Tone White and **Grey Fiberglass Exterior** Sidewalls
- Front Stone Guard
- Enclosed Underbelly w/Forced Air Heat
- Aluminum Wheels
- Spare Tire
- Slide Topper Prep
- Back-up Camera Mount
- Power Tonque Jack
- Outside Speakers
- Stabilizer Jacks (4)
- LP Port
- 4 200 Watt Solar Panel w/ 30 AMP Control Charger
- 13.5 BTU A/C (Ducted on 8' wide)

- Ducted/Direct Vent Furnace (Floor Plan Specific)
- DSI Gas/Electric Water Heater
- Hot/Cold Outside Shower
- Black Tank Flush Kit

- Swing Away Assist Handle

- Door Catches
- in Exterior Storage Area
- Throughout

- w/Oven
- 8 Cu. Ft. 12V Refrigerator
- Access Doors Under Dinette (Some models)
- ¬AM/FM Stereo w/Bluetooth
- Hook-ups and WiFi Capability

- ¬ Power Awning w/Lighting
- ¬ Friction Hinge Entrance Door
- Solid Step
- LED Motion Sensor Light
- Hard Valances w/Night Shades
- LED Interior Lighting Throughout
- Microwave
- Lighted, Flush-mount, 3-Burner High Output Range
- Stainless Steel Single Bowl Sink
- w/Flush-mount Cover
- ◄ Interior Convenience Center
- ¬ Digital TV Antenna w/Cable
- USB Charging Station

- LED TV
- ¬ Hide-A-Bed Sofa (Deep slides only)
- ¬ Tub Surround
- Skylight in Bath
- Mattress with Cover

INTERIOR AND DÉCOR

- Prestige Poplar Cabinetry
- Shaker Cabinet Door Frames
- Stile and Rail Cabinet Front Construction
- One-Piece Seamless Edge Countertops
- Congoleum DiamondFlor
- Flooring
- Overhead Bedroom Cabinets w/Side Wardrobes
- Collansible Bin
- Hard Valances w/Night Shades Throughout
- Pedestal Dinette Table (Fold Up Table on 211RBS)
- Large Oversized Booth or U-shaped Dinette w/Sliding Door Storage Access
- 68" Residential Sofa [Most models]
- LED TV

- Smoke Alarm
- Carbon Monoxide Detector

ELECTRICAL / HEATING/AC

- Furnace Forced Air/Ducts Per Floorplan
- 13.5 BTU A/C (Ducted on 8' wide)
- 55 Amp Power Center with
- Auto-detect, Lithium-compatible
- Outside Receptacle GFI 200 Watt Solar Panel
- w/ 30 AMP Control Charger
- Detachable Marine Style Power Cord
- USB Chargers

- **GALLEY**
- 8 Cu. Ft. 12V Refrigerator Flush-mount 3-Burner Stovetop w/Oven
- Power LED Lighted Range Hood
- Microwave
- Stainless Steel Single Bowl Sink w/Flush-mount Cover
- One-Piece Seamless Edge Countertops
- Matte Black Hardware

BATH AND WATER

- 6 Gal. Gas/Electric DSI Hot Water Heater
- Power Bath Vent Water Heater Bypass Valve
- On-Demand Water Pump
- Below Floor Low Point Drains
- ▼ Foot Flush Toilet
- Tub Surround ¬ Glass Shower Door −
- 34" Neo-angle Showers Hand-crafted Wood Medicine
- Cabinet Bathroom Organizer

EXTERIOR/CONSTRUCTION

- Aluma-Cage Construction √ Vacuum-bonded, Aluminum Trussed Roof w/Dicor Crossflex Roof Membrane (R-11 - 7½'
- wide, R-14 8' wide) Vacuum-bonded Laminated Azdel Fiberglass Sidewalls
- [R-11] Vacuum-bonded Azdel
- Fiberglass Rear Wall Laminated Aluminum Framed Floor (R-11)
- Corrosion Resistant Powder Coated Frame

- Heated and Enclosed Underbelly w/Forced Air
- ⊲ Gutter Rail
- Dual 20 Lb. LP Tanks w/Cover Dual Battery Tray
- ¬ Solid Step
- Tinted Safety Glass Radius Windows Radius Entrance Door w/Window and Friction Hinge
- Dead Bolt Lock Radius Slam Latch Baggage Doors
- Break Away Switch
- SuperLube Axles by Lippert Radial Tires

- **OPTIONS**
- Frameless Dark Tint Windows
- ¬ 15K BTU A/C Upgrade 50 Amp Service w/Second (Forced) 13.5K BTU A/C
- Theater Seating



Flip-up double bunk provides easy access to the rear wall storage door.



Private bedroom models offer plenty of storage, and are prepped for a TV.

ULTRALITE TRAVEL TRAILERS

Apex Ultralites are ideal for towing with half ton trucks and most smaller SUVs. Weights range from just over 4000 lbs. up to 6500 lbs. Apex floor plans have rich, warm interiors, full-sized bathrooms, contemporary cabinetry, fabrics and flooring. These lightweight, durable, travel trailers are constructed with a vacuum-bonded, aluminum framed roof, double laminated Azdel composite sidewalls, laminated rear wall, and a laminated, insulated floor.

7-1/2' WIDE



215 RBK






Double axle floor plans only.






211 RBS



243 FKS






251 RBK



256 BHS




265 RBSS




266 BHS




284 BHSS



289 TBSS



290 BHS





300 BHS

Apex 7.5' WIDES	215 RBK	245 BHS
Hitch Weight	446	578
Carrying Capacity	2,135	1,914
UVW	4,365	4,586
GVWR	6,500	6,500
Ext. Length (Incl. Bumper to Hitch)	25' 6"	27' 7"
Ext. Height (Incl. A/C)	10' 2"	10'2"
Int. Height (Coach)	78"	78"
Awning Length	13'	18'
Fresh Water Capacity (gal.)	52	52
Grey Water Capacity (gal.)	35	35
Waste Water Capacity (gal.)	35	35

Apex 8' WIDES	211 RBS	243 FKS	251 RBK	256 BHS	265 RBSS	266 BHS	284 BHSS	289 TBSS	290 BHS	293 RLDS	300 BHS
Hitch Weight	630	810	570	694	734	934	810	715	758	832	672
Carrying Capacity	1,938	1,654	2,016	2,128	1,948	1,520	1,578	1,882	1,432	1,360	1,625
UVW	5,062	5,906	4,984	5,472	5,652	6,080	6,022	5,718	6,168	6,440	5,975
GVWR	7,000	7,600	7,000	7,600	7,600	7,600	7,600	7,600	7,600	7,800	7,600
Ext. Length (Incl. Bumper to Hitch)	26' 2"	29' 5"	29'	30'1"	30′ 5″	32' 11"	32' 7"	32' 6"	34'	34'	34' 5"
Ext. Height (Incl. A/C)	10′ 5″	10' 7"	10'1"	10' 5"	10' 6"	10′5″	10'7"	10'6"	10′7″	10'7"	10'1"
Int. Height (Coach)	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"	78"
Awning Length	15'	20'	16'	16'	18'	20'	18'	18'	20'	18'	18'
Fresh Water Capacity (gal.)	50	50	50	50	50	50	50	50	50	50	50
Grey Water Capacity (gal.)	35	70	35	70	70	35	70	35	35	70	35
Waste Water Capacity (gal.)	35	35	35	35	35	35	35	35	35	35	35

Construction Features

- 1. 3M Breathable graphics
- 2. Tinted, safety glass windows
- 3. Welded aluminum structure, vacuum-bonded sidewalls and rear wall. laminated floor
- 4. Aluminum reinforced vacuum-bonded roof
- 5. Dicor Crossflex roofing membrane
- 6. Azdel composite exterior/interior sidewall and rear wall panels
- 7. Aerodynamic front profile with fiberglass front cap and integrated window
- 8. [2] 20 lb. LP tanks
- 9. Insulated slam latch doors with magnetic hold-ups (N/A Nanos)
- 10. Smooth exterior fiberglass skin
- 11. Aluminum framed openings
- 12. Fully enclosed, heated underbelly (Double axle models)
- 13. Fully welded tubular aluminum floor structure
- 14. Slide system
- 15. Congoleum® DiamondFlor flooring
- 16. Powder E-coated, welded I-beam frame with full-depth crossmembers
- 17. Dexter® E-Z Lube® axle hubs (Nano) SuperLube axles by Lippert (Ultralite)
- 18. Radial tires

APEX CONSTRUCTION

Apex features the combination of environmentally friendly Azdel wall boards inside, and Azdel composite panels outside, plus Alumicage Construction to maximize. These Ultralite Travel Trailers are designed for towing by today's half-ton trucks, and SUVs. From 18' to 34'. All units are available under 6.800 lbs.



Fiberglass Front Cap

- · ¾ Front fiberglass cap for superior strength
- · Automotive glass front window with superior UV protection
- · Front stone guard
- · Integrated LED accent lights
- Vacuum Bonded Sidewalls and Roof
- · Stronger construction
- · Lighter weight





Apex is proud to be one of three products to receive the Emerald Level Certification, the highest rated level possible.

As a Certified Green RV. APEX utilizes effective production techniques in combination with healthy materials. plus efficient usage of energy and water to produce a high quality RV with less environmental impact.

Check us out at:

coachmenry.com/travel-trailers/apex

LIGHTWEIGHT **DURABILITY**







Lower Center of Gravity for Better Towability




Welded Aluminum Framing

Durable, lightweight aluminum cage - individually framed cut-outs to make for stronger sidewalls and reduce water leaks.



Aluminum Reinforced Vacuum-bonded Roof


The aluminum framed. laminated roof is lighter than the competition, rigid and fully walkable.



Six Laver Laminated Floor

- Residential durable insulated floor covering
- Double layer Lauan plywood top decking
- Welded aluminum frame
- Block foam structural insulation
- Lauan plywood bottom decking
- Darco waterproof floor wrap
- Cross member support
- Holding tanks
- Heated and enclosed underbelly (Double axle models)





Double the AZDEL. Double the Benefits:

By using AZDEL for both the exterior and interior panels, we have doubled our benefits for overall weight reduction, temperature control, sound absorption, longevity, and low VOCs. Azdel composite panels are produced using a patented blend of polypropylene and fiberglass to create a durable, lightweight, water and temperature resistant, odorless and eco-friendly wall that will increase the life of your RV.



Weight matters 50% Lighter than wood



Let it rain – no mold, rot, mildew, warping or delamination



Unaffected by changes in temperature & humidity



Twice the thermal insulation of plywood



Free of formaldehyde, toxic odors and chemicals



Longer RV life



Quieter RVs



No deforestation

Knock on Wood. Traditional Lauan Sidewall Panels:

- · Absorb and retain water
- Affected by humidity and temperature changes
- Susceptible to mold, rot, warpage and delamination
- · Imported · Heavier
- Inferior thermal insulation and noise blocking



Avoid Costly Water Damage

- Water and wood don't mix
- Water can cause rot, mold and delamination of wood sidewall panels causing thousands of dollars in damage



Soak Test

- 60 Day soak test
 Wood has visible mold and decay requiring wall repair
- · AZDEL was 100% unaffected

APEX STANDARD FFATURES



Entertainment Center with Fireplace

Includes an AM/FM stereo with Bluetooth, LED TV and upgraded stereo speakers. (Available on 243 FKS, 284 BHSS, 290 BHS and 293 RLDS.)



Bathroom Organizer

Keep all your bathroom items organized and within arms reach hung over the door.



Collapsible Laundry Bin

Tucked neatly inside each Apex, this collapsible bin makes laundry day feel more like home.



200 Watt Solar Power

All Apex come equipped with a high-efficiency 200 watt solar panel. Connecting through a 30 AMP control charger, the battery power provides off-grid capability for dry camping.



Mini Fridae

Camp kitchens are equipped with mini refrigerator. (Available on 186 BH, 194 BHS, 208 BHS, 245 BHS, 256 BHS, 265 RBSS, 266 BHS, 289 TBSS, 290 BHS, 293 RLDS – floorplan specific.)



Camp Kitchen

Camp kitchens are equipped with either a grill or a 2-burner cooktop, and a refrigerator. [Available on 186 BH, 194 BHS, 208 BHS, 245 BHS, 256 BHS, 265 RBSS, 266 BHS, 289 TBSS, 290 BHS, 233 RLDS - floorplan specific.]



Outside Kitchen

Includes a grill or two-burner cooktop, large refrigerator, plumbed sink, gooseneck faucet and additional storage. (Available on 203 RBK, 215 RBK, 251 RBK, 284 BHSS and 300 BHS – floorplan specific.)



Scan the QR code to see more Apex features that make camping with us easier!

EXPERIENCE YOUR OWN ULTRALITE ADVENTURE

Versatile Apex Travel Trailers provide a perfect home base, wherever the road leads.



APEX'S FULL LINE OF ULTRALITES ARE PERFECT FOR SMALLER TOW VEHICLES





423 N. Main Street · P.O. Box 30 · Middlebury, IN 46540

To learn more about Coachmen RV and our products and see how Coachmen is making the easy life easier, visit https://coachmenrv.com/travel-trailers/apex-ultra-lite.



YOUR APEX DEALER

Coachmen Interactive Mobile Manuals

Download your Coachmen mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Coachmen product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.







24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE*

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT **SERVICE**

WINCH-OUT MOBILE MECHANIC **TECHNICAL** SUPPORT DEALER LOCATOR SERVICES



*VALID FOR 1 YEAR FROM DATE OF PURCHASE





www.ForestRiverBuyLocal.com

CUSTOMER SATISFACTION



Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely support-

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated average based on standard build optional equipment.

ed by a combination of all axles.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and grey tanks to provide for more cargo capacity. **Estimated average based on standard build optional equipment. Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2021 Apex by Coachmen RV, a Division of Forest River, Inc.,

a Berkshire Hathaway company. All rights reserved. 11/22

CHM 1969